

Mobile gantry crane

PK 2

With a maximum load capacity of two tons



Article number ▼

6172200

Brand ▼

Unicraft

Availability ▼

In stock
Immediate delivery

Catalog directory ▼

Workshop and lifting technology » Mounting aids » Gantry cranes

Purchase ▼

Minimum 1 pc(s).



Shipping informations ▼

Packaging Metrics		Weights		Delivery		Other	
Length	2,270 mm	Gross	173 kg	Delivery	Carrier	DualUse	✘
Width	520 mm	Net	153 kg	Content	1 pc(s).	SCIP	n/a
Height	250 mm					SVHC	No

Root data ▼

Country of origin	EAN	Custom number	Quantity unit
China	4036351338437	84261900	pc(s).

Description ▼

- Suitable for loading and unloading, for assembly, repair or storage work on even and smooth floors in workshops and halls
- Easy handling thanks to four swivel castors with parking brakes
- Easy and safe height adjustment in unloaded condition via levers and two safety bolts per carrier support
- Stable stand and robust, torsionally stiff construction due to additional cross bracing

Media informations ▼



Stable design of the carrier supports



Swivel castors with parking brake



Safe and easy height adjustment in unloaded state via levers and two safety bolts per support carrier




Figure shows optional accessories

Technical data ▼

General features			
Load-bearing capacity	2 t	Min. lifting height	2400 mm
Max. lifting height	3600 mm	Clearance width	2380 mm
I-carrier dimensions	88 x 160 mm		
Dimensions and weights			
Length (product) approx.	2500 mm	Width/depth (product) approx.	1200 mm
Height (product) approx.	2560 mm	Net weight approx.	153 kg

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.