

Woodbandsaw

HBS 361-2

Reliable band saws for precise work



Article number

5902436

Brand

Holzstar

Availability

In stock
Immediate delivery

Catalog directory

Woodworking machinery » Bandsaws »
Holzstar HBS

Purchase

Minimum 1 pc(s).




Delivery content

- Saw band
- Longitudinal stop with loupe
- Miter stop
- LED work light
- Push stick
- Base

Shipping informations

Packaging Metrics		Weights		Delivery		Other	
Length	1,350 mm	Gross	75 kg	Delivery	Carrier	DualUse	✘
Width	575 mm	Net	70 kg	Content	1 pc(s).	SCIP	n/a
Height	440 mm					SVHC	No

Root data

Country of origin	EAN	Custom number	Quantity unit
 China	4036351265634	84659110	pc(s).

Description

- Ideal for ambitious modellers and do-it-yourselfers
- Flywheels made of die-cast aluminum with special coating
- Aluminium cast iron worktable swiveling up to 45°
- Equipped with precise 3-rolls saw band guide above and below the table
- Aluminum longitudinal stop with quick clamping precisely adjustable with the aid of a magnifying glass and millimeter scale (except HBS 231-1)
- Two belt speeds adjustable (except HBS 231-1)

Media informations



Illustration shows HBS 361-2 with optional accessory circular cutting device (5912436)



Manual speed adjustment in two stages by folding the belt. Drive wheels for clean running surfaces equipped with chip brushes.











Aluminum rip fence with eccentric quick-clamping, easy and precise sliding, set value conveniently readable on millimeter scale.

Technical data

Dimensions and weights			
Length (product) approx.	870 mm	Width/depth (product) approx.	690 mm
Height (product) approx.	1715 mm	Net weight approx.	76 kg
Extraction port			
Extraction port diameter	100 mm		
Work top(s)			
Work table length	545 mm	Work table width	515 mm
Work table height	1020 mm	Work table pivot	0 – 45 °
Electrical Data			
Supply voltage	230 V	Mains frequency	50 Hz
Input power	1,1 kW	Delivery power	0.8 kW
Cutting ranges			
Max. cutting height 90°	225 mm	Max. cutting height 45°	145 mm
Max. cutting width with stop	255 mm	Max. cutting width without stop	340 mm
Saw band			
Saw band speed(s)	370/800 m/min	Flywheel diameter	356 mm
Saw band length	2560 mm	Saw band width	12.7 mm
Saw band width max.	25.0 mm	Saw band thickness	0,5 mm

Accessories ▼

	<p>Saw band 2560 x 6 x 0.6 mm, 6 TPI</p> <p>Article number ▼ 5160040</p> <p>Availability ▼ In stock Immediate delivery</p> <p>Purchase ▼ Minimum 1 pc(s).</p> <p>Price informations ▼</p>	
	<p>Saw band 2560 x 10 x 0.5 mm, 6 TPI</p> <p>Article number ▼ 5160041</p> <p>Availability ▼ In stock Immediate delivery</p> <p>Purchase ▼ Minimum 1 pc(s).</p> <p>Price informations ▼</p>	
	<p>Saw band 2560 x 25 x 0.5 mm, 4 TPI</p> <p>Article number ▼ 5160043</p> <p>Availability ▼ In stock Immediate delivery</p> <p>Purchase ▼ Minimum 1 pc(s).</p> <p>Price informations ▼</p>	
	<p>Saw band 2560 x 16 x 0.5 mm, 4 TPI</p> <p>Article number ▼ 5160042</p> <p>Availability ▼ In stock Immediate delivery</p> <p>Purchase ▼ Minimum 1 pc(s).</p> <p>Price informations ▼</p>	



Circle cutter HBS 361-2



Article number ✓
5912436

Availability ✓
In stock
Immediate delivery

Purchase ✓
Minimum 1 pc(s).

Price informations ✓

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.