# DATASHEET

## Scroll saw

## **DKS 504 Vario**



Can be used for mold making, precision mechanics, model making, toy making

#### Article number >

5902504

#### Brand >

Holzstar

#### Availability >

In stock

Immediate delivery

## Catalog directory >

Woodworking machinery » Chop saws / Scroll saws » Scroll saws

#### Purchase >

Minimum 9 pc(s).



## **Delivery content** ✓

- Saw blade 133x3x0.3 mm 15Z
- Saw blade 133x3x0.3 mm 18Z
- · Universal sander without tools

## Shipping informations >

Packaging Metrics		Weights		Delivery		Other	
Length	680 mm	Gross	14.5 kg	Delivery	Delivery service	DualUse	×
Width	330 mm	Net	12.5 kg	Content	9 pc(s).	SCIP	n/a
Height	410 mm					SVHC	No

#### Root data 🗸

Country of origin	EAN	Custom number	Quantity unit
* China	4036351260325	84615019	pc(s).

## Description >

- Ideal for fine sawing in schools and training workshops, for designers and architects, and handyman
- For processing softwood, plastic and similar materials
- Robust cast construction guarantees quiet, low-vibration operation
- Can be used on any workbench or worktop due to its compact size
- Free-swinging saw blade support for standard cross-pin saw blades
- Connection to an external extraction device via suction nozzle possible
- Including universal hand sander with many possible applications, eg sanding, cutting, drilling, polishing (tool set required)

#### Media informations >









Air blowing unit removes coarse saw dust from the cutting area


Table angle precisely adjustable by scale

#### Technical data >

General features			
Max. cutting height at 90°	52 mm	Max. cutting height at +45°	20 mm
Stroke speed	550 – 1600 min <sup></sup>	Table length	414 mm

Table width	254 mm	Saw blade length	133 mm
Extension	405 mm	Extraction duct outside nominal width	35 mm
Dimensions and weights			
Length (product) approx.	630 mm	Width/depth (product) approx.	320 mm
Height (product) approx.	380 mm	Net weight approx.	12 kg
Width/depth (product) max.	380 mm		
Electrical Data			
Supply voltage	230 V	Mains frequency	50 Hz
Absorbed power drive motor	0.09 kW		
Hand tool			
Speed hand tool	1650 – 4800 min <sup></sup>	Shaft diameter hand tool	3.1 mm

#### Accessories v



Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.