

## Crosscut / miter saw

### KGZ 2540 Vario



With train function. Mobile and versatile, designed for precision and safety

#### Article number ▼

5701254

#### Brand ▼

Holzkraft

#### Availability ▼

In stock  
Immediate delivery

#### Catalog directory ▼

Woodworking machinery » Chop saws /  
Scroll saws » Crosscut / miter saws

#### Purchase ▼

Minimum 6 pc(s).




#### Delivery content ▼

- Material clamp
- Chip collection bag
- Tools
- HM saw blade 250 x 3.2 x 2.2 x 30mm, Z60

#### Shipping informations ▼

Packaging Metrics		Weights		Delivery		Other	
Length	720 mm	Gross	22 kg	Delivery	Carrier	DualUse	✘
Width	510 mm	Net	16 kg	Content	6 pc(s).	SCIP	n/a
Height	460 mm					SVHC	No

#### Root data ▼

Country of origin	EAN	Custom number	Quantity unit
 China	4036351258919	84659120	pc(s).

#### Description ▼

- Equipped with soft start
- With stepless speed
- Base plate and turntable made of die-cast aluminum: at the same time compact, robust and easy to transport
- Grid positions in the turntable
- With 31.6 ° grid position especially for cutting ceiling trim
- Standard with double pitch and miter
- Two-sided extension of the workpiece support with hinged stops for repetitive work
- Standard with chip collecting bag
- Easy and fast saw blade change
- Angle adjustment finely adjustable
- Adjustable and high workpiece stops made of aluminum
- Screw clamp for secure workpiece locking
- Also suitable for cutting cornice profiles

## Media informations



double tilt



Locking device for limiting the crosscut depth




Standard with laser



Convenient adjustment of miter and head tilt directly from the front of the table



Locking device for limiting the crosscut depth



Space saving design



**Technical data** ▾

General features			
Saw band speed	2000 – 4000 min <sup>-1</sup>	Saw blade diameter	254 mm
Table diameter	275 mm	Extraction duct outside nominal width	58 mm
Max. bevel angle range left	47 °	Max. bevel angle range right	45 °
Max. mitre left	50 °	Max. mitre right	50 °
Dimensions and weights			
Length (product) approx.	595 mm	Width/depth (product) approx.	825 mm
Height (product) approx.	680 mm	Net weight approx.	21.6 kg
Max. length (product) ca.	1055 mm		
Electrical Data			
Supply voltage	230 V	Mains frequency	50 Hz
Drive motor output	1.6 kW		

Cutting capacity			
Cutting capacity at 0° inclination / 0° mitre	64 x 318 mm	Cutting capacity at -45° inclination / 0° mitre	41 x 318 mm
Cutting capacity at +45° inclination / 0° mitre	25 x 318 mm	Cutting capacity at 0° inclination / -45° mitre	64 x 222 mm
Cutting capacity at 0° inclination / +45° mitre	64 x 222 mm		

## Accessories



### Universal workbench UWT 3200

Universal workbench and roller conveyor with quick clamping system

**Article number** 

5900020

**Availability** 

In stock  
Immediate delivery

**Purchase** 

Minimum 16 pc(s).

**Price informations** 



### Saw blade 250 x 3.2 x 2.2 x 30 mm Z60 WZ

**Article number** 

5262510

**Availability** 

In stock  
Immediate delivery

**Purchase** 

Minimum 1 pc(s).

**Price informations** 



### Saw blade 250 x 3.2 x 2.5 x 30mm Z60 TF

**Article number** 

5262511

**Availability** 

In stock  
Immediate delivery

**Purchase** 

Minimum 1 pc(s).

**Price informations** 



Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.