

## Surface and thickness planer

### ADH 3050 (400V)

Compact model with integrated suction for do-it-yourselfers and craftsmen



#### Article number ▼

5904131

#### Brand ▼

Holzstar

#### Availability ▼

No stock available

Information:

Incoming stocks

Expected on calendar week 45/2023

#### Catalog directory ▼

Woodworking machinery » Planers »  
Surface and thickness planers » Surface  
and thickness planer ADH

#### Purchase ▼

Minimum 1 pc(s).




#### Delivery content ▼

- Suction connection hose, Ø 76 mm, 920 mm
- Reduction 100/75 mm
- Strip planer knife set
- Chip bag

#### Shipping informations ▼

Packaging Metrics		Weights		Delivery		Other	
Length	1,205 mm	Gross	99 kg	Delivery	Carrier	DualUse	✘
Width	680 mm	Net	93 kg	Content	1 pc(s).	SCIP	n/a
Height	585 mm					SVHC	No

#### Root data ▼


Country of origin	EAN	Custom number	Quantity unit
 China	4036351286455	84659200	pc(s).

#### Description ▼

- For angular joining (90°) and precise planing of solid wood boards and moldings
- Automatic workpiece feed
- Rubberized extraction roller protects the wood surface when planing thick
- Suction integrated in the substructure
- With chassis as standard
- Simple and precise adjustment of the chip removal
- Dressing table made of milled cast aluminum
- Space-saving compact design

## Media informations





**Thicknessing**

- Height adjustment of the thickness table easily and conveniently via handwheel and scale
- Chip removal up to 2 mm possible



**Surface planer**

- Easy adjustment of the chip removal up to 3 mm using the control lever



**Practical undercarriage**


- For conveniently changing the surface planer in the workshop
- Undercarriage can be extended / retracted

**Technical data** ▾

Dimensions and weights			
Length (product) approx.	1140 mm	Width/depth (product) approx.	800 mm
Height (product) approx.	1075 mm	Net weight approx.	93 kg
Joining			
Total length of table	1080 mm	Infeed table length	525 mm
Infeed table width	308 mm	Working height	920 mm

Max. cutting depth of joints	3 mm	Planing stop length	635 mm
Planing stop height	127 mm	Planing stop pivoting range	90 – 45 °
<b>Extraction port</b>			
Suction hood connection diameter	100 mm	Suction unit connection diameter	75 mm
<b>Footprint</b>			
Machine body length	450 mm	Machine body width/length	470 mm
<b>Thickness</b>			
Thickening table length	500 mm	Thickening table width	305 mm
Working height min. thickness	6 mm	Working height max. thickness	160 mm
Working length min. thickness	250 mm	Max. cutting depth thickness	2 mm
<b>Electrical Data</b>			
Duty type drive motor	S1	Drive motor output	1.25 kW
Absorbed power drive motor	1,8 kW	Supply voltage	400 V
Mains frequency	50 Hz		
<b>Noise emission</b>			
Sound pressure level Lp	84 dB(A)	Sound power level Lw	97 dB(A)
<b>Planing knife shaft</b>			
Planing shaft type	Strip planer blade shaft	Planing shaft diameter	62 mm
Number of planing blades	2 St	Planing shaft speed	6700 min <sup>-1</sup>
Max. planing width	305 mm		
<b>Feed</b>			
Feed speed	8.5 m/min		

## Accessories ▼



### Filter bag ADH 3050

**Article number** ▼  
5914061

**Availability** ▼  
In stock  
Immediate delivery

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼



### Suction hose ADH 2540 / 3050

**Article number** ▼  
5914062

**Availability** ▼  
In stock  
Immediate delivery

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼



### Replacement set planer knife 310 x 30 x 3 mm HSS (4 pieces)

**Article number** ▼  
5914003

**Availability** ▼  
In stock  
Immediate delivery

**Purchase** ▼  
Minimum 1 Set (4  
pc(s).)

**Price informations** ▼





## Replacement set planer knife ADH 3050 HSS (2 pieces)



**Article number** ▼

5914064

**Availability** ▼

In stock  
Immediate delivery

**Purchase** ▼

Minimum 1 Set (2  
pc(s).)

**Price informations** ▼

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.