

Thickening plane

CASADEI PS 63 TERSA



The robust craftsman machines

Article number ▾

5220164

Brand ▾

Holzwerk CASADEI

Availability ▾

In stock
Immediate delivery

Catalog directory ▾

Woodworking machinery » Planers »
Thickness planers » Thickness planer
CASADEI PS 52/63




Purchase ▾

Minimum 1 pc(s).

Shipping informations ▾

Packaging Metrics		Weights		Delivery		Other	
Length	1,005 mm	Gross	799 kg	Delivery	Carrier	DualUse	✘
Width	1,305 mm	Net	790 kg	Content	1 pc(s).	SCIP	n/a
Height	1,240 mm					SVHC	No

Root data ▾

Country of origin	EAN	Custom number	Quantity unit
 Italy	4036351041283	84659200	pc(s).




MADE IN ITALY

Description ▾

- Motorized thickness table lift with two speeds
- Numeric display for working height
- Thickness table made of gray cast iron
- The thickness table is mounted on four large trapezoidal thread spindles, for max. Stability and precision
- Four feed rates
- Optionally with two rollers in the thickness table
- Standard with noise protection and chip protection curtain on the workpiece inlet and outlet
- Roller contact pressure adjustable
- Front feed roller with helical toothing
- Extractor roller with rubber coating
- Powerful industrial engine

Media informations




Optimum workpiece feed

- Helically toothed steel feed rollers for constant and even wood feeding
- Second, rubberized feed roller in the outlet
- Solid kickback protection prevent kickback of workpieces
- The four-knife shaft ensures a optimal planing pattern



Work table

- The work table is mounted on four large trapezoidal thread spindles, which ensure maximum stability under all working conditions
- With electric table adjustment as standard
- The special lifting device ensures that the table position remains in place Perfectly preserved without locking



TERSA planer cutterhead

- No more adjusting and screwing
- Change planing knives in seconds
- Self-locking
- Particularly quiet running
- Optimal planing pattern

Technical data ▼

Dimensions and weights			
Length (product) approx.	1305 mm	Width/depth (product) approx.	1080 mm
Net weight approx.	750 kg		
Extraction port			
Extraction port diameter thickness	150 mm		
Footprint			
Space requirement length	1305 mm	Space requirement width/depth	1080 mm
Space requirement height	1197 mm	Space requirement explanation	The dimensions take into account maximum travel distances or useful lengths.
Machine body length	1305 mm	Machine body width/length	725 mm
Work area length	1000 mm	Work area width/depth	2000 mm
Explanation about work area	Please add the given dimensions with the required space to obtain the free space recommended for the machine.		
Thickness			
Thicknessing table length	630 mm	Thicknessing table width	1000 mm
Working height min. thickness	3.5 mm	Working height max. thickness	300 mm
Working length min. thickness	210 mm	Max. cutting depth thickness	8 mm
Electrical Data			
Drive motor output	9 kW	Supply voltage	400 V
Mains frequency	50 Hz		

Planing knife shaft			
Planing shaft type	TERSA	Planing shaft diameter	120 mm
Number of planing blades	4 St	Planing shaft speed	4500 min ⁻¹
Max. planing width	630 mm		
Feed			
Feed speed	5/8/12/18 m/min		

Accessories ▼



Reversible planer knife Tersa 630 x 10 x 2.3 mm Chrome (4 pieces)

Quality at reasonable prices

Article number ▼

5270620

Availability ▼

No stock available
Information:
Next availability
Unknown

Purchase ▼

Minimum 1 Set (4 pc(s).)

Price informations ▼



Reversible planer knife Tersa 630 x 10 x 2.3 mm M+ HSS (4 pieces)

Quality at reasonable prices

Article number ▼

5271620

Availability ▼

No stock available
Information:
Next availability
Expected on
calendar week
49/2023

Purchase ▼

Minimum 1 Set (4 pc(s).)

Price informations ▼



Options equipment ▼



Two rollers in the thickening table without drive

Article number ▼

5230407

Availability ▼


No stock available
Information:
Next availability
Unknown

Purchase ▼

Minimum 1 pc(s).

Price informations ▼

Ask for price



Steel links feed roller at 1st position

Article number ▼

5230405

Availability ▼

No stock available
Information:
Next availability
Unknown

Purchase ▼

Minimum 1 pc(s).

Price informations ▼

Ask for price





Third upper feed roller powered



Article number ▼

5230406

Availability ▼

No stock available
Information:
Next availability
Unknown

Purchase ▼

Minimum 1 pc(s).

Price informations ▼

[Ask for price](#)

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.