

Thickening plane minimax s 41es



With 410 mm planing width incl. TERSA planer knife quick-change system

Article number ▼

5503413

Brand ▼

Holzkraft

Availability ▼

In stock
Immediate delivery

Catalog directory ▼

Woodworking machinery » Planers »
Thickness planers » Thickness planer
minimax s es

Purchase ▼

Minimum 1 pc(s).




Delivery content ▼

- 2 feed speeds in the logger
- 4-knife TERSA cutterblock

Shipping informations ▼

Packaging Metrics		Weights		Delivery		Other	
Length	900 mm	Gross	361 kg	Delivery	Carrier	DualUse	✘
Width	930 mm	Net	361 kg	Content	1 pc(s).	SCIP	n/a
Height	1,110 mm					SVHC	No

Root data ▼

Country of origin	EAN	Custom number	Quantity unit
 Italy	4036351221432	84659200	pc(s).



MADE IN ITALY

Description ▾

- 4-knife shaft for best planing results
- Quiet running with precision aggregate and thanks to the heavy cast design
- Front steel pickup roller with helical teeth for optimum feed
- Satin-finished steel extraction roller, optionally with rubber roller in the extension
- The worktable is mounted on four large pillars which ensure maximum stability under all working conditions.
- The thickness table adjustment takes place via a handwheel with numerical display for the set planing height (1/10 mm accurate)
- Standard with two feed speeds, comfortably selectable from the front of the operator
- Powerful industrial engine
- Stable steel gray cast iron construction

Significant Features ▾



Very quiet

- Particularly low-noise TERSA planer cutterhead

Media informations ▾




Work table

- Mounted on four large-diameter spindles that ensure maximum stability under all working conditions
- By special lifting device, the table position is perfectly maintained even without locking



Thickness table adjustment

- Via handwheel
- Tenths of a millimeter display of the set planing height in the handwheel



TERSA planer cutterhead

- Optimal planing pattern
- Planing knife change in seconds
- Self-locking
- No more adjusting and screwing
- Particularly quiet running

Technical data ▼

Dimensions and weights			
Length (product) approx.	900 mm	Width/depth (product) approx.	1070 mm
Net weight approx.	361 kg		
Extraction port			
Extraction port diameter thickness	120 mm		
Footprint			
Space requirement length	1070 mm	Space requirement width/depth	900 mm
Space requirement height	1100 mm	Space requirement explanation	The dimensions take into account maximum travel distances or useful lengths.
Machine body length	1040 mm	Machine body width/length	900 mm
Work area length	3000 mm	Work area width/depth	1600 mm
Explanation about work area	Please add the given dimensions with the required space to obtain the free space recommended for the machine.		
Thickness			
Thicknessing table length	423 mm	Thicknessing table width	775 mm
Working height min. thickness	3 mm	Working height max. thickness	240 mm
Working length min. thickness	180 mm	Max. cutting depth thickness	5 mm
Electrical Data			
Drive motor output	5 kW	Supply voltage	400 V
Mains frequency	50 Hz		
Planing knife shaft			

Planing shaft type	TERSA	Planing shaft diameter	95 mm
Number of planing blades	4 St	Planing shaft speed	5000 min ⁻¹
Max. planing width	410 mm		
Feed			
Feed speed	6 / 12 m/min		

Accessories ▼



Replacement blade for spiral knife shaft
15 x 15 x 2.5 mm

Article number ▼ 5514127

Availability ▼ In stock
Immediate delivery

Purchase ▼ Minimum 1 PU (10 pc(s).)

Price informations ▼



Options equipment ▼



Motorized thickness table height adjustment

Article number ▼ 5514110

Availability ▼ No stock available
Information:
Next availability
Unknown

Purchase ▼ Minimum 1 pc(s).

Price informations ▼






Motor power
7.0 kW


Article number ▼ 5514111

Availability ▼ No stock available
Information:
Next availability
Unknown

Purchase ▼ Minimum 1 pc(s).

Price informations ▼






Rubber extraction roller

Article number ▼ 5514112

Availability ▼ No stock available
Information:
Next availability
Unknown

Purchase ▼ Minimum 1 pc(s).

Price informations ▼





Spiral blade shaft
SMW 410 elite s

Article number ▼ 5514329

Availability ▼ No stock available
Information:
Next availability
Unknown

Purchase ▼ Minimum 1 pc(s).

Price informations ▼



Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus

packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.